

Additional file 6. Types of outcome measures

| Reference | Access | Adherence/Compliance | Attitude /Motivation | Awareness | Behaviour/Intention | Beliefs | Clinical results | Communication with physician | Costs | Coverage | Decision -making | Empowerment/ Engagement | Knowledge /understanding | Less suffering/ Anxiety | Persuasion | Safety | Satisfaction | Skill and competence (Self | Social support | Use of services | Health literacy | Perception | Quality of life | Use of information | Health status and wellbeing | Hospitalizations | Length of consultation | Participation in health | Adiction to media | Sustainability | Choice | |
|------------------------|--------|----------------------|----------------------|-----------|---------------------|---------|------------------|------------------------------|-------|----------|------------------|-------------------------|--------------------------|-------------------------|------------|--------|--------------|----------------------------|----------------|-----------------|-----------------|------------|-----------------|--------------------|-----------------------------|------------------|------------------------|-------------------------|-------------------|----------------|--------|--|
| Abu Abed 2014 | | | | | x | | | | | | | | | | | | | | | | x | | | | | | | | | | | |
| Akesson 2006 | x | | | | x | | x | x | x | | | x | x | x | | | x | x | x | | x | | | | | | | | | | | |
| Akl 2011a ¹ | | | | | x | | | x | | | | | x | | | | | | | | | x | | | | | | | | | | |
| Akl 2011b ² | | | | | x | | | x | | | | | x | | | | | | | | | x | | | | | | | | | | |
| Ammentorp 2013 | | | | | | | | | | | | x | | | | | | x | | | | | | | | | | | | | | |
| Ammenwerth 2012 | x | | | | x | | | x | | | | x | x | | | | | | x | x | | | | | | | | | | | | |
| Atherton 2010 | x | | | | x | | | x | | x | x | | x | | x | | x | | | x | | | | | | | | | | | | |
| Bekker 2013 | | x | x | | x | | | x | | | x | x | x | x | x | x | x | x | | x | | | | | | | | | | | x | |
| Berkman 2011 | | x | | | x | | x | | x | | x | | x | | | | | x | x | x | | | x | | | | | | | | | |
| Büchter 2014 | | x | | | x | | | | | | | | | | | | x | | | | | | | | | | | | | | | |
| Car 2011 | | | | | x | | | x | | | | | x | | | | | x | | | | | | x | | | | | | | | |

¹ Akl EA, Oxman AD, Herrin J, Vist GE, Terrenato I, Sperati F, et al. Framing of health information messages. Cochrane Database of Systematic Reviews. 2011(12):CD006777.

² Akl EA, Oxman AD, Herrin J, Vist GE, Terrenato I, Sperati F, et al. Using alternative statistical formats for presenting risks and risk reductions. Cochrane Database of Systematic Reviews. 2011(3):CD006776.

